Amendments to the Claims

This Listing of the Claims will replace all prior versions, and listings, of claims in the application.

Listing of the Claims:

1. (Previously Presented) A compound of formula I



(I)

wherein

each of R^0, R^1, and R^2, independently is hydrogen, C_1-C_8alkyl, C_2-C_8alkenyl, C_2-C_8alkinyl, C_3-C_8cycloalkyl, C_3-C_8cycloalkylC_1-C_8alkyl, C_5-C_{10}arylC_1-C_8alkyl, hydroxyC_1-C_8alkyl, C_1-C_8alkoxyC_1-C_8alkyl, aminoC_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1, 2 or 3 hetero atoms selected from N, O and S, hydroxy, C_1-C_8alkoxy, hydroxyC_1-C_8alkoxy, C_1-C_8alkoxyC_1-C_8alkoxy, haloC_1-C_8alkoxy, unsubstituted or substituted C_5-C_{10}arylC_1-C_8alkoxy, unsubstituted or substituted heterocyclyloxy, or unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstitued or substituted amino, C_1-C_8alkylthio, C_1-C_8alkylsulfinyl, C_1-C_8alkylsulfonyl, C_5-C_{10}arylsulfonyl, halogen, carboxy, C_1-C_8alkoxycarbonyl, unsubstitued or substituted carbamoyl, unsubstitued or substituted sulfamoyl, cyano or nitro;

R^3 is C_1-C_8alkylsulfinyl, C_1-C_8alkylsulfonyl, C_5-C_{10}arylsulfonyl, unsubstituted or substituted carbamoyl or unsubstituted or substituted sulfamoyl;

Or the pair of adjacent substituents R^2 and R^3 forms $-CH_2$-NH-CO- or -CH_2-NH-SO_2- or such pairs wherein NH is substituted by C_1-C_8-alkyl;

R^4 is hydrogen or C_1-C_8alkyl;

each of R^5 and R^6 independently is hydrogen, C_1-C_8alkyl, C_1-C_8alkoxyC_1-C_8alkyl, haloC_1-C_8alkyl, C_1-C_8alkoxy, halogen, carboxy, C_1-C_8alkoxycarbonyl, unsubstitued or substituted carbamoyl, cyano, or nitro; and

each of R^7, R^8, R^9, and R^{10} independently is C_1-C_8alkyl, C_2-C_8alkenyl, C_2-C_8alkinyl, C_3-C_8cycloalkyl, C_3-C_8cycloalkylC_1-C_8alkyl, C_5-C_{10}arylC_1-C_8alkyl, hydroxyC_1-C_8alkyl, C_1-

C_8alkoxyC_1-C_8alkyl, aminoC_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1, 2 or 3 hetero atoms selected from N, O and S, hydroxy, C_1-C_8alkoxy, hydroxyC_1-C_8alkoxy, C_1-C_8alkoxyC_1-C_8alkoxy, haloC_1-C_8alkoxy, unsubstituted or substituted C_5-C_{10}arylC_1-C_8alkoxy, unsubstituted or substituted heterocyclyloxy, or unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstitued or substituted amino, C_1-C_8alkylthio, C_1-C_8alkylsulfinyl, C_1-C_8alkylsulfonyl, C_5-C_{10}arylsulfonyl, halogen, carboxy, C_1-C_8alkoxycarbonyl, unsubstitued or substituted carbamoyl, unsubstitued or substituted sulfamoyl, cyano or nitro; wherein R^7, R^8 and R^9 independently of each other can also be hydrogen;

or R^7 and R^8, R^8 and R^9, and/or R^9 and R^{10} form together with the carbon atoms to which they are attached, a 5 or 6 membered carbocyclic or heterocyclic ring comprising 0, 1, 2 or 3 heteroatoms selected from N, O and S that is unsubstituted or substituted by C_1-C_8-alkyl, C_1-C_8-alkoxy, halo-C_1-C_8-alkyl, hydroxyl, amino, substituted amino, halogen, carboxy, C_1-C_8alkoxycarbonyl, carbamoyl, cyano, or oxo;

A is C;

and salts thereof.

2. (Currently Amended) A compound of formula I according to claim 1, wherein

each of R^0 or R^2 independently is hydrogen, C_1-C_8alkyl, hydroxyC_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, haloC_1-C_8alkoxy, C_5-C_{10}aryloxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, C_1-C_8alkylsulfonyl, halogen, unsubstituted or substituted carbamoyl, unsubstituted or substituted sulfamoyl;

R^1 is hydrogen, C_1-C_8alkyl, hydroxyC_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, haloC_1-C_8alkoxy, C_5-C_{10}aryloxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, C_1-C_8alkylsulfonyl, halogen, unsubstituted or substituted carbamoyl, unsubstituted or substituted sulfamoyl;

R^3 is C_1-C_8alkylsulfinyl, C_1-C_8-alkylsulfonyl, C_5-C_{10}arylsulfonyl, unsubstituted or substituted carbamoyl or unsubstituted or substituted sulfamoyl;

~~R^3 is C_1-C_8alkylsulfinyl, C_1-C_8-alkylsulfonyl, C_5-C_{10}arylsulfonyl, unsubstituted or substituted carbamoyl or unsubstituted or substituted sulfamoyl;~~

or the pair of adjacent substituents R^2 and R^3 forms $-CH_2-NH-CO-$ or $CH_2-NH-SO_2-$ or such pairs wherein NH is substituted by C_1-C_8-alkyl;

R^4 is hydrogen or C_1-C_8alkyl;

R^5 is hydrogen; C_1-C_8alkyl, halogen, haloC_1-C_8alkyl, cyano or nitro;

R^6 is hydrogen;

each of R^7 and R^9 independently is hydrogen, C_1-C_8alkyl, hydroxyC_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, haloC_1-C_8alkoxy, C_5-C_{10}aryloxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, C_1-C_8alkylsulfonyl, halogen, unsubstituted or substituted carbamoyl, unsubstituted or substituted sulfamoyl;

R^8 is hydrogen, C_1-C_8alkyl, hydroxyC_1-C_8alkyl, haloC_1-C_8alkyl, C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, haloC_1-C_8alkoxy, C_5-C_{10}aryloxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, C_1-C_8alkylsulfonyl, halogen, unsubstituted or substituted carbamoyl, unsubstituted or substituted sulfamoyl, cyano, or nitro; and

R^{10} is C_1-C_8alkyl, hydroxyC_1-C_8alkyl, haloC_1-C_8alkyl, C_1-C_8alkoxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, halogen, carboxy, carbamoyl, or unsubstituted or substituted sulfamoyl; or

each pair of adjacent substituents R^7 and R^8, or R^8 and R^9 or R^9 and R^{10}, is –NH-CH=CH-, -CH=CH-NH-, –NH-N=CH-, –CH=N-NH-, $-CH_2-CH_2-CH_2-$, $-CH_2-CH_2-CH_2-CH_2-$, $-CH_2-CH_2-O-$, -CH=CH-O-, $-O-CH_2-O-$, or $-O-CF_2-O-$;

A is C.

3. (Previously Presented) A compound of formula I according to claim 1, wherein

each of R^0 or R^2 independently is hydrogen, C_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, or halogen;

R^1 is hydrogen, C_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, halogen;

R^3 is C_1-C_8alkylsulfinyl, C_1-C_8-alkylsulfonyl, C_5-C_{10}arylsulfonyl, unsubstituted or substituted carbamoyl or unsubstituted or substituted sulfamoyl;

or the pair of adjacent substituents R^2 and R^3 forms $-CH_2$-NH-CO- or CH_2-NH-SO_2- or such pairs wherein NH is substituted by C_1-C_8-alkyl;

R^4 is hydrogen;

R^5 is hydrogen, halogen, haloC_1-C_8alkyl, or nitro;

R^6 is hydrogen;

each of R^7 and R^9 independently is hydrogen, C_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, halogen, unsubstituted or substituted carbamoyl, or unsubstituted or substituted sulfamoyl;

R^8 is hydrogen, C_1-C_8alkyl, haloC_1-C_8alkyl, C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, haloC_1-C_8alkoxy, C_5-C_{10}aryloxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, halogen, unsubstituted or substituted sulfamoyl, or nitro; and

R^{10} is C_1-C_8alkyl, haloC_1-C_8alkyl, C_1-C_8alkoxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, or halogen; or

each pair of adjacent substituents R^7 and R^8, or R^8 and R^9 or R^9 and R^{10}, is –NH-CH=CH-, -CH=CH-NH-, –NH-N=CH-, –CH=N-NH-, -CH_2-CH_2-CH_2-, -CH_2-CH_2-CH_2-CH_2-, -O-CH_2-O-, or -O-CF_2-O-;

A is C.

4. (Currently Amended) A compound of formula I according to claim 1, wherein

each of R^0 or R^2 independently is hydrogen, piperazino, N-methylpiperazino or 1-methyl-4-piperidyloxy;

R^1 is hydrogen, piperazino, N-methylpiperazino, morpholino, 1-methyl-4-piperidinyloxy, 3-morpholinopropoxy or 2-morpholinoethoxy;

R^3 is sulfamoyl, methylsulfamoyl or propylsulfamoyl; ~~or~~

~~the pair of adjacent substituents R^0 and R^1, or R^1 and R^2 is -O-CH_2-O-,~~ or the pair of adjacent substituents R^2 and R^3 is -CH_2-NH-CO- or -CH_2-NH-SO_2-;

R^4 is hydrogen;

R^5 is hydrogen, chloro, bromo, trifluoromethyl or nitro;

R^6 is hydrogen;

each of R^7 and R^9 independently is hydrogen, C_1-C_8alkyl, haloC_1-C_8alkyl, unsubstituted or substituted C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, halogen, unsubstituted or substituted carbamoyl, or unsubstituted or substituted sulfamoyl;

R^8 is hydrogen, C_1-C_8alkyl, haloC_1-C_8alkyl, C_5-C_{10}aryl, unsubstituted or substituted 5 or 6 membered heterocyclyl comprising 1 or 2 hetero atoms selected from N, O and S, C_1-C_8alkoxy, haloC_1-C_8alkoxy, C_5-C_{10}aryloxy, unsubstituted or substituted heterocyclyloxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, halogen, unsubstituted or substituted sulfamoyl, or nitro; and

R^{10} is C_1-C_8alkyl, haloC_1-C_8alkyl, C_1-C_8alkoxy, unsubstituted or substituted heterocyclylC_1-C_8alkoxy, unsubstituted or substituted amino, or halogen; or

each pair of adjacent substituents R^7 and R^8, or R^8 and R^9 or R^9 and R^{10}, is –NH-CH=CH-, -CH=CH-NH-, –NH-N=CH-, –CH=N-NH-, -CH_2-CH_2-CH_2-, -CH_2-CH_2-CH_2-CH_2-, -O-CH_2-O-, or -O-CF_2-O-;

A is C.

5. (Currently Amended) A compound of formula I according to claim 1, wherein

each of R^0 or R^2 independently is hydrogen, piperazino, N-methylpiperazino or 1-methyl-4-piperidyloxy;

R^1 is hydrogen, piperazino, N-methylpiperazino, morpholino, 1-methyl-4-piperidinyloxy, 3-morpholinopropoxy or 2-morpholinoethoxy;

R^3 is sulfamoyl, methylsulfamoyl or propylsulfamoyl; ~~or~~

~~the pair of adjacent substituents R^0 and R^1, or R^1 and R^2 is -O-CH_2-O-,~~ or the pair of adjacent substituents R^2 and R^3 is -CH_2-NH-CO- or -CH_2-NH-SO_2-;

R^4 is hydrogen;

R^5 is hydrogen, chloro, bromo, trifluoromethyl or nitro;

R^6 is hydrogen;

each of R^7 and R^9 independently is hydrogen, methyl, isopropyl, trifluoromethyl, phenyl, o-, m- or p-methoxyphenyl, piperidino, piperazino, N-methylpiperazino, morpholino, methoxy, ethoxy, isopropoxy, phenoxy, 3-morpholinopropoxy, 2-morpholinoethoxy, 2-(1-imidazolyl)ethoxy, dimethylamino, fluoro, morpholinocarbonyl, piperidinocarbonyl, piperazinocarbonyl or cyclohexylcarbamoyl;

R^8 is hydrogen, methyl, piperidino, piperazino, N-methylpiperazino, morpholino, methoxy, ethoxy, trifluoromethoxy, phenoxy, 1-methyl-4-piperidyloxy, 3-morpholinopropoxy, 2-

morpholinoethoxy, 3-(N-methylpiperazino)-propoxy, methylamino, fluoro, chloro, sulfamoyl or nitro; and

R^{10} is methyl, butyl, methoxy, ethoxy, 2-(1-imidazolyl)ethoxy, methylamino, dimethylamino or fluoro; or

the pair of adjacent substituents R^7 and R^8 or R^8 and R^9 is $-O-CH_2-O-$ or the pair of adjacent substituents R^9 and R^{10} is -NH-CH=CH-, -CH=N-NH-, $-CH_2-CH_2-CH_2-$, $-CH_2-CH_2-CH_2-CH_2-$ or $-O-CF_2-O-$;

A is C.

6. (Previously Presented) A compound of formula I according to claim 1, wherein

each of R^0, R^1 or R^2 is hydrogen;

R^3 is sulfamoyl, methylsulfamoyl or propylsulfamoyl;

R^4 is hydrogen;

R^5 is chloro or bromo;

R^6 is hydrogen;

each of R^7 and R^9 independently is hydrogen, methyl, isopropyl, trifluoromethyl, phenyl, o-, m- or p-methoxyphenyl, piperidino, piperazino, N-methylpiperazino, morpholino, methoxy, ethoxy, isopropoxy, phenoxy, 3-morpholinopropoxy, 2-morpholinoethoxy, 2-(1-imidazolyl)ethoxy, dimethylamino, fluoro, morpholinocarbonyl, piperidinocarbonyl, piperazinocarbonyl or cyclohexylcarbamoyl;

R^8 is hydrogen, methyl, piperidino, piperazino, N-methylpiperazino, morpholino, methoxy, ethoxy, trifluoromethoxy, phenoxy, 1-methyl-4-piperidyloxy, 3-morpholinopropoxy, 2-morpholinoethoxy, 3-(N-methylpiperazino)-propoxy, methylamino, fluoro, chloro, sulfamoyl or nitro; and

R^{10} is methyl, butyl, methoxy, ethoxy, 2-(1-imidazolyl)ethoxy, methylamino, dimethylamino or fluoro; or

the pair of adjacent substituents R^7 and R^8 or R^8 and R^9 is $-O-CH_2-O-$, or the pair of adjacent substituents R^9 and R^{10} is -NH-CH=CH-, -CH=N-NH-, $-CH_2-CH_2-CH_2-$, $-CH_2-CH_2-CH_2-CH_2-$ or $-O-CF_2-O-$;

A is C.

7. (Previously Presented) The compound of formula I according to claim 1, wherein each of R^0, R^1 or R^2 is hydrogen, R^3 is methylsulfamoyl, R^4 is hydrogen, R^5 is bromo, R^6 is hydrogen, each of R^7 and R^8 is methoxy, R^9 is hydrogen, and R^{10} is methyl, and A is C.

8. (Previously Presented) The compound of formula I according to claim 1, wherein each of R^0, R^1 or R^2 is hydrogen, R^3 is methylsulfamoyl, R^4 is hydrogen, R^5 is bromo, R^6 is hydrogen, each of R^7 and R^8 is hydrogen, and the pair of adjacent substituents R^9 and R^{10} is $-CH_2-CH_2-CH_2-$, and A is C.

9. (Previously Presented) The compound 2-{5-Chloro-2-[4-(3-methylamino-pyrrolidin-1-yl)-phenylamino]-pyrimidin-4-ylamino}-N-isopropyl-benzenesulfonamide.

10. (Previously Presented) A process for the production of a compound of formula I according to claim 1, comprising reacting a compound of formula II



(II)

wherein R^0, R^1, R^2, R^3, R^4, R^5, and R^6 are as defined in claim 1, and Y is a leaving group, with a compound of formula III



(III)

wherein A, R^7, R^8, R^9 and R^{10} are as defined in claim 1;

and, if desired, converting a compound of formula I, wherein the substituents have the meaning as defined in claim 1, into another compound of formula I as defined in claim 1;

and recovering the resulting compound of formula I in free from or as a salt, and, when required, converting the compound of formula I obtained in free form into the desired salt, or an obtained salt into the free form.

11. (Previously Presented) A pharmaceutical composition comprising a compound according to claim 1, as active ingredient together with one or more pharmaceutically acceptable diluents or carriers.

12. (Cancelled).

13. (Previously Presented) A combination comprising a therapeutically effective amount of a compound according to claim 1 and one or more known drug substances, said further drug substance being useful in the treatment of neoplastic diseases or immune system disorders.

14. (Currently Amended) A method for the treatment of breast tumors ~~neoplastic diseases and immune system disorders~~ in a subject in need thereof which comprises administering an effective amount of a compound according to claim 1 or a pharmaceutical composition comprising same.

15. (Currently Amended) A method for the treatment ~~or prevention~~ of a disease which responds to inhibition of focal adhesion kinase or/and IGF-1 Receptor comprising administering a compound according to claim 1 or a pharmaceutically acceptable salt thereof.

16.-20. (Cancelled).

21. (Previously Presented) The method according to claim 14, wherein the compound is 2-[5-Bromo-2-(2-methoxy-5-morpholin-4-yl-phenylamino)-pyrimidin-4-ylamino]-N-methyl-benzenesulfonamide or a pharmaceutically acceptable salt thereof.

22. (Previously Presented) The method according to claim 14, wherein the compound is selected from 2-[5-chloro-2-(2-methoxy-4-morpholin-4-yl-phenylamino)-pyrimidin-4-ylamino]-N-methyl-benzamide, N^2-(4-[1,4']Bipiperidinyl-1'-yl-2-methoxy-phenyl)-5-chloro-N^4-[2-(propane-1-sulfonyl)-phenyl]-pyrimidine-2,4-diamine and 2-{5-Chloro-2-[2-methoxy-4-(4-methyl-piperazin-1-yl)-phenylamino]-pyrimidin-4-ylamino}-N-isopropyl-benzenesulfonamide, or a pharmaceutically acceptable salt thereof.

23. (Previously Presented) A compound of the formula I shown in claim 1, selected from the group of compounds with the following names or formulae:

2-[2-(2,5-dimethoxy-phenylamino)-5-nitro-pyrimidin-4-ylamino]-N-methyl-benzenesulfonamide;
2-[5-bromo-2-(2,4-dimethoxy-phenylamino)-pyrimidin-4-ylamino]-N-methyl-benzenesulfonamide;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
3-1	
3-2	
3-3	
3-4	
3-5	
3-6	

3-7	
3-8	
3-9	
3-10	
3-11	
3-12	
3-13	
3-14	

3-15	
3-16	
3-17	
3-18	
3-19	
3-20	
3-22	

3-23	
3-24	
3-25	
3-26	
3-27	
3-28	
3-29	

3-30	
3-31	
3-32	
3-33	
3-34	
3-35	
3-36	
3-37	

3-38	
3-39	
3-40	
3-41	
3-42	
3-43	

3-44	
3-45	
3-46	
3-47	
3-48	

3-49	
3-50	
3-51	
3-52	
3-53	
3-54	

3-55	
3-56	
3-57	
3-58	
3-59	
3-60	
3-61	
3-62	

3-63	
3-64	
3-65	
3-66	
3-67	
3-68	
3-69	

3-70	
3-71	
3-72	
3-73	
3-74	

3-75	
3-76	
3-77	
3-78	
3-79	
3-80	

3-81	
3-82	
3-83	
3-84	

;

2-[5-bromo-2-(2,3-[difluoromethylenedioxy]phenylamino)-pyrimidin-4-ylamino]-benzenesulfonamide;
2-[5-chloro-2-(2-methoxy-4-morpholin-4-yl-phenylamino)-pyrimidin-4-ylamino]-N-methyl-benzamide;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx

No.	
7-1	
7-2	
7-3	
7-4	
7-5	

7-6	
7-7	
7-8	
7-9	
7-10	
7-11	

7-12	
7-13	
7-14	
7-15	
7-16	

7-17	
7-18	
7-19	
7-20	
7-21	

7-22	
7-23	
7-24	
7-25	
7-26	
7-27	

7-28	
7-29	
7-30	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
8-1	

8-2	
8-3	
8-4	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
9-1	

9-2	
9-3	
9-4	
9-5	

9-6	
9-7	

:

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
10-1	

10-2	
10-3	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
11-1	

11-2	
11-3	
11-4	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound.	Rx

13-1	

a compound of the formula



wherein Ry has one of the meanings given in the following table:

Com-pound	Ry
14-1	
14-2	
14-3	

14-5	
14-6	
14-7	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Compound	Rx
15-1	

15-2	
15-3	

a compound of the formula



wherein Ry has one of the meanings given in the following table:

Com-pound	Ry
16-1	
16-2	
16-3	

16-4	

a compound of the formula



;

a compound of the formula



;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound.	Rx

18-1	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
19-1	
19-2	
19-3	

19-4	
19-5	
19-6	
19-7	
19-8	
19-9	

19-10	
19-11	
19-12	
19-13	
19-14	
19-15	

19-16	
19-17	
19-18	
19-19	
19-20	

19-21	
19-22	
19-23	
19-24	
19-25	

19-26	
19-27	
19-28	
19-29	
19-30	

19-31	
19-32	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
20-1	
20-2	

20-3	
20-4	
20-5	
20-6	
20-7	
20-8	

20-9	
20-10	
20-11	
20-12	
20-13	

20-14	
20-15	
20-16	
20-17	
20-18	
20-19	
20-20	

20-21	
20-22	
20-23	
20-24	
20-25	
20-26	
20-27	

20-28	
20-29	
20-30	
20-31	
20-32	
20-33	
20-34	

20-35	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
21-1	
21-2	
21-3	

21-4	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
22-1	
22-2	
22-3	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
23-1	
23-2	
23-3	
23-4	
23-5	

23-6	
23-7	
23-8	
23-9	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
24-1	
24-2	
24-3	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
25-1	

25-2	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
26-1	
26-2	
26-3	

26-4	
26-5	
26-6	
26-7	
26-8	

26-9	
26-10	
26-11	
26-12	

26-13	
26-14	
26-15	
26-16	
26-17	

26-18	
26-19	
26-20	
26-21	
26-22	

26-23	
26-24	
26-25	
26-26	
26-27	

26-28	
26-29	
26-30	
26-31	
26-32	
26-33	

26-34	
26-35	
26-36	
26-37	
26-38	
26-39	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
27-1	
27-2	
27-3	
27-4	
27-5	

27-6	
27-7	
27-8	
27-9	

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx

28-1	
28-2	
28-3	
28-4	
28-5	

28-6	
28-7	
28-8	
28-9	
28-10	

28-11	
28-12	
28-13	
28-14	

28-15	
28-16	
28-17	
28-18	
28-19	

28-20	
28-21	
28-22	
28-23	

28-24	
28-25	
28-26	
28-27	

28-28	
28-29	
28-30	
28-31	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx

29-1	
29-2	
29-3	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx

30-1	
30-2	
30-3	
30-4	
30-5	
30-6	

30-7	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
31-1	
31-2	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pounds	Rx
32-1	
32-2	

:

a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx

33-1	
33-2	

;

a compound of the formula



wherein Ry has one of the meanings given in the following table:

Com-pound	Ry
34-1	
34-2	
34-3	

34-4	
34-5	
34-6	
34-7	
34-8	

;

a compound of the formula



wherein Rx has one of the meanings given in the following table:

35-1	
35-2	

2-[5-bromo-2-(2-methoxy-4-morpholin-4-yl-phenylamino)-pyrimidin-4-ylamino]-N, N-dimethyl-benzenesulfonamide;
2-[5-bromo-2-(2-methoxy-4-morpholin-4-yl-phenylamino)-pyrimidin-4-ylamino]-5-fluoro-N-methyl-benzenesulfonamide;

7-[5-chloro-2-(2-methoxy-4-morpholin-4-yl-phenylamino)-pyrimidin-4-ylamino]-2-methyl-2,3-dihydro-isoindol-1-one;

and a compound of the formula



wherein Rx has one of the meanings given in the following table:

Com-pound	Rx
12-2	

12-3	
12-4	
12-5	
12-6	

;

or a pharmaceutically acceptable salt thereof.

24. (New) A compound of the formula



wherein Ry has the formula



;

or a pharmaceutically acceptable salt thereof.